


AUTOMATIC WEATHER DOOR STRIP




AUTOMATIC WEATHER DOOR STRIP PS SERIES

- It prevents air, insects, smoke and dust from entering
- Pivoting movement that can be operated only with the plunger
- Adapts to door leaves of various lengths
- Can be applied to doors in aluminium, PVC, wood and iron
- No friction with the floor


The automatic weather door strip: a new functional and indispensable product.



The door strip prevents air and smoke from penetrating inside the room, as well as the entry of insects and dusts. It allows you to save energy and ensures greater cleanliness and security.



The pivoting movement automatically applies pressure to door strip only when the door is completely closed. When you open the door, the door strip lifts up to avoid being dragged against the floor, thus eliminating friction and wear.




Automatic weather door strip PS series



Codes	Description	Pcs
PS/63	Automatic weather door strip (L = 630 mm) consisting of: 2 aluminium profiles with pivoting movement, adjustable by means of a steel plunger; 1 straight seal in self-extinguishing thermoplastic material. Application on aluminium or wooden doors, with max. drop of 13 mm between door bottom and floor	1
PS/93	Like PS/63 but L=930 mm.	
PS/123	Like PS/63 but L=1230 mm.	
PS/143	Like PS/63 but L=1430 mm.	

Technical drawing



Functional tests

The product has successfully passed the test for 200,000 opening cycles.

In addition to normal use, it is also applied to ITT SAVIO for doors opening onto escape routes. Therefore, door and window installers who use ITT SAVIO must use it for regular production too.

1 LUIGISAVIO

Savio S.p.A.

Via Torino, 25 (s.s. 25) - 10050 Chiusa S. Michele (TO)
tel. +39 011 964 3464 - fax +39 011 964 3474
www.savio.it - export@savio.it