

Tabella di
adattabilità
per
famiglia
di articoli

VASISTAS SCORREVOLE

AV SAVIO

Elenco profili									
	2400.1 - 2400.2	2405/1100 - 2405/1330 - 2405/900	2405/1650	2410	2410.1	2410.2	1243.710	1243.721	1243.790
Aifil A54RPT	•	•	•	•			•	•	•
Aifil A65RPT	•	•	•	•			•	•	•
ALLCO.TEC 72	•	•	•	•			•	•	•
ATLANTIS 45	•	•	•	•			•	•	•
ATLANTIS 45 persiana							•	•	•
ATLANTIS 45 raggiato							•	•	•
ATLANTIS 55 TT	•	•	•	•			•	•	•
ATLANTIS 55 TT raggiato							•	•	•
ATLANTIS 68 TT	•	•	•	•			•	•	•
ATLANTIS 68 TT raggiato							•	•	•
BGA 50	•	•	•	•			•	•	•
BGA 50 Arrotondato	•	•	•	•			•	•	•
BGA 50 raggiato							•	•	•
BREAK PA 52	•	•	•	•			•	•	•
BREAK PA 52 raggiato							•	•	•
BREAK PA 63	•	•	•	•			•	•	•
BREAK PA 70 S	•	•	•	•			•	•	•
CX 600	•	•	•	•			•	•	•
CX 700	•	•	•	•			•	•	•
DOMAL BRIGHT PA 70 S		•	•	•			•	•	•
DOMAL BRIGHT PA 70 S raggiato							•	•	•
DOMAL EXTRATERMIC 62	•	•	•	•			•	•	•
DOMAL EXTRATERMIC 62 raggiato							•	•	•
DOMAL EXTRATERMIC 62 SFERA							•	•	•
DOMAL STOPPER PG 63	•	•	•	•			•	•	•
DOMAL TOP TB 65	•	•	•	•			•	•	•
DOMAL TOP TB 65 raggiato							•	•	•
ECLIPSE GREEN							•	•	•
EKIP TH 83	•	•	•	•			•	•	•
EKOS 50 SH							•	•	•
EKOS 50 SH PERSIANA							•	•	•
EKOS 50 SH raggiato							•	•	•
EKOS 50 TH							•	•	•
EKOS 50 TH raggiato							•	•	•
EKOS 50 THW							•	•	•
EKOS 58 THM							•	•	•
EKOS 58 THM raggiato							•	•	•
EKOS 66 TH							•	•	•
EKOS 66 TH raggiato							•	•	•
EKOS 68 THR							•	•	•
EKOS 68 THR raggiato							•	•	•
EKOS 75 TH							•	•	•
EKOS 75 THW							•	•	•
EKOS 85 TH							•	•	•
EKOS 85 TH raggiato							•	•	•
EKOS 85 THW							•	•	•
EKOS MINIMALL 54 TH							•	•	•
EKOS MINIMALL 62 THJ							•	•	•
EKU 40	•	•	•	•			•	•	•
EKU 40 raggiato							•	•	•
EKU 53	•	•	•	•			•	•	•

Elenco profili									
	2400.1 - 2400.2	2405/1100 - 2405/1330 - 2405/900	2405/1650	2410	2410.1	2410.2	1243.710	1243.721	1243.790
EKU 53 Persiana									
EKU 53 raggiato							•	•	•
EKU 53 TT	•	•	•	•			•	•	•
EKU 53 TT raggiato							•	•	•
EKU 64 TT	•	•	•	•			•	•	•
EKU 72 TT	•	•	•	•			•	•	•
ESEDRA GA 53	•	•	•	•			•	•	•
ESEDRA GA 53 raggiato							•	•	•
ESEDRA TT 63	•	•	•	•			•	•	•
ESEDRA TT 75							•	•	•
ET 45 Sormonto	•	•	•	•			•	•	•
ET 45 Sormonto Raggiato							•	•	•
ET 58/2 TT	•	•	•	•			•	•	•
ET 58/2 TT raggiato							•	•	•
ET 67/3 TT	•	•	•	•			•	•	•
ET 67/3 TT raggiato							•	•	•
ET 68/2 TT	•	•	•	•			•	•	•
ET 68/2 TT raggiato							•	•	•
ET 75/3 TT	•	•	•	•			•	•	•
ET 75/3 TT raggiato							•	•	•
EURO 40	•	•	•	•			•	•	•
EURO 40 persiana							•	•	•
EURO 40 raggiato							•	•	
EURO KEEPER 45	•	•	•	•			•	•	•
EXPORT 45	•	•	•	•			•	•	•
EXPORT 45 persiana								•	
EXPORT 45 raggiato							•	•	•
EXPORT 45 T	•	•	•	•			•	•	•
EXPORT 45 T raggiato							•	•	•
EXPORT 45 TT	•	•	•	•			•	•	•
EXPORT 45 TT raggiato							•	•	•
EXPORT 50	•	•	•	•			•	•	•
EXPORT 50 T	•	•	•	•			•	•	•
EXPORT 50 TT	•	•	•	•			•	•	•
EXPORT 51 TT	•	•	•	•			•	•	•
EXPORT 51 TT raggiato							•	•	•
EXPORT 68 TT	•	•	•	•			•	•	•
EXPORT 68 TT raggiato							•	•	•
FC 55 RESTAURO							•	•	•
GOLD 400	•	•	•	•			•	•	•
GOLD 400 raggiato							•	•	•
GOLD 450	•	•	•	•				•	•
GOLD 450 TT	•	•	•	•			•	•	•
GOLD 490	•	•	•	•			•	•	•
GOLD 500	•	•	•	•			•	•	•
GOLD 500 raggiato							•	•	•
GOLD 600	•	•	•	•			•	•	•
GOLDWING							•	•	•
GREEN 45 sormonto	•	•	•	•			•	•	•
GREEN raggiato							•	•	•
HF 580	•	•	•	•			•	•	•

Elenco profili									
	2400.1 - 2400.2	2405/1100 - 2405/1330 - 2405/900	2405/1650	2410	2410.1	2410.2	1243.710	1243.721	1243.790
HP 600	•	•	•	•			•	•	•
HP 700	•	•	•	•			•	•	•
K 40	•	•	•	•			•	•	•
K 40 raggiato							•	•	•
K 45T	•	•	•	•			•	•	•
K 64T	•	•	•	•			•	•	•
K 70T	•	•	•	•			•	•	•
KEEPER 53/60	•	•	•	•			•	•	•
KEEPER 53/60 raggiato							•	•	•
KEEPER 61/68	•	•	•	•			•	•	•
MAASTRICHT 53	•	•	•	•			•	•	•
MAASTRICHT LIGHT	•	•	•	•			•	•	•
MAASTRICHT TH 60	•	•	•	•			•	•	•
MAASTRICHT TH 68	•	•	•	•			•	•	•
METRALTECH							•	•	•
MX 50	•	•	•	•			•	•	•
MX 70	•	•	•	•			•	•	•
NC 45 INT.	•	•	•	•			•	•	•
NC 45 INT. raggiato							•	•	•
NC 45 STH	•	•	•	•			•	•	•
NC 50 I	•	•	•	•			•	•	•
NC 50 I raggiato							•	•	•
NC 50 STH	•	•	•	•			•	•	•
NC 50 STH raggiato							•	•	•
NC 55 INT	•	•	•	•			•	•	•
NC 65 STH	•	•	•	•			•	•	•
NC 68 STH	•	•	•	•			•	•	•
NC 68 STH.S							•	•	•
NC 72 STH	•	•	•	•			•	•	•
NEW BT 60 TT	•	•	•	•			•	•	•
NEW TEC 50	•	•	•		•				
NEW TEC 50 CLASSIC	•	•	•		•				
NEW TEC 52 TT	•	•	•		•				
NEW TEC 52 TT CLASSIC	•	•	•		•				
NEW TEC 60 TT	•	•	•		•				
NEW TEC 68 TT	•	•	•		•				
PLANET 45	•	•	•	•			•	•	•
PLANET 45 Raggiato							•	•	•
PLANET 50	•	•	•	•			•	•	•
PLANET 50 RAGGIATO							•	•	•
PLANET 62 TT	•	•	•	•			•	•	•
PLANET 62 TT Raggiato							•	•	•
Plathina 60 Antares							•	•	•
Plathina 60 Classica	•	•	•	•			•	•	•
Plathina 60 Flat Antares							•	•	•
Plathina 60 Flat Classica	•	•	•	•			•	•	•
Plathina 60 Flat Rustica							•	•	•
Plathina 60 Rustica							•	•	•
Plathina 69 Classica	•	•	•	•			•	•	•
Plathina 69 Flat Classica	•	•	•	•			•	•	•
Plathina 75 Classica	•	•	•	•			•	•	•

Elenco profili									
	2400.1 - 2400.2	2405/1100 - 2405/1330 - 2405/900	2405/1650	2410	2410.1	2410.2	1243.710	1243.721	1243.790
PR 66 TT	•	•	•		•				
PR 75 TT	•	•	•		•				
R 40	•	•	•		•				
R 50	•	•	•			•			
R 50 TT	•	•	•			•			
R 50 TT barra cont.	•	•	•		•				
R 60 TT	•	•	•			•			
R 62 TT	•	•	•		•				
R 72 TT	•	•	•		•				
ROAD 520 TT CE							•	•	•
ROAD 600 TT CE							•	•	•
RX 600	•	•	•		•				
RX 700	•	•	•		•				
SERIE 8000	•	•	•	•			•	•	
SERIE 8000 raggiato							•	•	•
SERIE 8000 TT	•	•	•	•			•	•	
SERIE 8000 TT raggiato							•	•	•
START 410							•	•	•
START 410 PERSIANA							•	•	•
START 410 raggiato							•	•	•
START 470 TT	•	•	•	•			•	•	•
START 470 TT raggiato							•	•	•
START 510	•	•	•	•			•	•	•
START 510 raggiato							•	•	•
START 560 TT							•	•	•
START 640 TT	•	•	•	•			•	•	•
START 760 TT	•	•	•	•			•	•	•
STOPPER PG	•	•	•	•			•	•	•
STOPPER PG raggiato							•	•	•
SUPERBLINDO	•	•	•	•			•	•	•
SV 39	•	•	•	•			•	•	•
SV 39/47 raggiato.							•	•	•
SV 47/55	•	•	•	•			•	•	•
SV TT55	•	•	•	•			•	•	•
SV TT70	•	•	•	•			•	•	•
SV TT74	•	•	•	•			•	•	•
SYNTHESIS 45							•	•	•
SYNTHESIS 57	•	•	•	•			•	•	•
SYNTHESIS 60 TT	•	•	•	•			•	•	•
TECNO 50	•	•	•		•				
TECNO 50 TT	•	•	•		•				
TECNO 60 TT	•	•	•		•				
TECNO 68 TT	•	•	•		•				
TT 50	•	•	•		•				
VENICE TH16	•	•	•	•			•	•	•
VUERRE 53 TT	•	•	•	•			•	•	•
VUERRE 53 TT raggiato							•	•	•
VUERRE 70 TT	•	•	•	•			•	•	•
VUERRE 70 TT raggiato							•	•	•
WINDSTOP 45	•	•	•	•			•	•	•
WINDSTOP 45 raggiato							•	•	•

Elenco profili									
	2400.1 - 2400.2	2405/1100 - 2405/1330 - 2405/900	2405/1650	2410	2410.1	2410.2	1243.710	1243.721	1243.790
WINDSTOP 45 TT	●	●	●	●			●	●	●
WINDSTOP 45 TT CLASSIC	●	●	●	●			●	●	●
WINDSTOP 45 TT CLASSIC raggiate							●	●	●
WINDSTOP 45 TT raggiate							●	●	●
WINDSTOP 55 TT	●	●	●	●			●	●	●
WINDSTOP 55 TT CLASSIC	●	●	●	●			●	●	●
WINDSTOP 55 TT CLASSIC raggiate							●	●	●
WINDSTOP 55 TT raggiate							●	●	●
WINDSTOP 65 TT	●	●	●	●			●	●	●
WINDSTOP 65 TT CLASSIC							●	●	●
WINDSTOP 65 TT CLASSIC raggiate							●	●	●
WINDSTOP 65 TT raggiate							●	●	●

AV SAVIO

SAVIO S.p.A.

Via Torino, 25 (s.s. 25) - 10050 Chiusa S. Michele (TO) - Italy
Tel. +39 011 9643464 - Fax +39 011 9643474
e-mail: export@savio.it - www.savio.it

AV SAVIO
by
pininfarina
LUIGISAVIO